

Technical data sheet 101S

Specification Conference chair low with dynamic backrest

Dimensions in mm	Backrest:	H:	360	
		Seat:	H:	410-510
			W:	480
			D:	480
	Total:	H:	880	
		W (ArmR):	580	
D:		590		
Packaging data	Weight:	kg	17	
	Volume:	m³	0,45	



Basic equipment

Benefit

Backrest	Dynamic backrest low, upholstered, 40 mm foam + 10 mm cotton.	Seating comfort also in the conference area.
Upholstery	Seat, back and armrest upholstery, breath acively moulding foam, CFC - CHC free (segregated foam). Seat 60 mm + 10 mm decron layer. Armrests 30 mm foam.	Paddings are unglued, ensuring optimal air movement. Breathable.
Seat height adjustment	Seat height adjustment infinitely variable from 410- 510 mm.	
Sprung column	Sprung column also in lowest position.	Sprung column enables attenuation of the sitting impulse, what saves the spinal column.
Conference glides	Hard conference glides for soft floors.	Optimal standing position of the chair. Protection of the floor.
Base	Aluminium base four legs with conference glides.	High stability, longevity.
Metal parts, colour finish	White powder coated.	With an interesting design for the eyes.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	GS-symbol for tested safety and toxic agents.	High security and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years full warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet 101S

Specification Conference chair low with dynamic backrest

Dimensions in mm	Backrest:	H:	360	
		Seat:	H:	410-510
			W:	480
	Total:	D:	480	
			H:	880
		W (ArmR):	580	
Packaging data	Weight:	kg	17	
		Volume:	m³	0,45



Options	Benefit	
Castors/glides	Soft conference glides. Hard double castors, load- dependent braked, for soft floors or soft double castors, load-dependent braked, for hard floors. (acc. to DIN EN 12529). Castors only in combination with an aluminium base five legs.	With castors, the chair does not roll away in an off-loaded condition, minimum risk of accident. With glides, optimal position of the chair, protection of the floor.
Metal parts, colour finish	Metal parts brushed silver, polished.	With an interesting design for the eyes.
Base	Aluminium base five legs with castors.	Very high stability, longevity.
Covers	Several fabric qualities and leather.	There are various colours and cover materials to choose from for designing the chair.