

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Art. 4805: 5 ways base with front-face upholstery in mesh
 Art. 4805: 5 ways base with front-face upholstery in mesh with armrests

Chair with polished or lacquered aluminum 5 way swivel base on castors (for hard floors, in the same color as the base), fitted with gas-lift mechanism for height adjustment. Exposed backshell and seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with front face upholstery in nylon mesh in the same color as the backshell (black or white). Seat upholstered in leather, customer's leather, faux leather, fabric or customer's fabric. Fixed armrests made in nylon fiber, in the same color as the backshell, are available upon request and with a surcharge.

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com




Shipment details


Art. 4805	kg	m ³	lb	ft ³
1 PCS = 1 box	21	0.401	46,20	14,155

arper

Base finishes




Back shell



Materials

Carded In fabrics by **kvadrat** e No Stain



F +39 0422 791800

T +39 0422 7918

www.arper.com

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Carded In Faux leather by , Soft leather and Chrome Free leather by .



VL
Faux
leather
Valencia



PF
Soft
leather



ES
Elmosoft®
Leather

Graded In fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.winter-creation.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com


Options and accessories



1



2



3

- 1 Chromed castors
- 2 White castors
- 3 Black castors

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Art. 4811: 5 ways base with front-face upholstery
 Art. 4811: 5 ways base with front-face upholstery and armrests

Chair with polished or lacquered aluminum 5 way swivel base on castors (for hard floors, in the same color as the base), fitted with gas-lift mechanism for height adjustment. Exposed backshell and seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest and seat with front face upholstery available in leather, customer's leather, faux leather, fabric or customer's fabric. Fixed armrests made in nylon fiber, in the same color as the backshell (black or white), and different upholsteries for seat and backrest are available upon request and with a surcharge.

Dimensions*




* Files CAD 2D - 3D available for download at www.arper.com



Shipment details

Art. 4811	kg	m ³	lb	ft ³
1 PCS = 1 box	21	0.401	46,20	14,155

Base finishes



LU1 Polished Aluminum	V12 White lacquered Matt	V39 Black lacquered Matt
-----------------------------	-----------------------------------	-----------------------------------

Back shell



PA00001 White polypropylene	PA00002 Black polypropylene
-----------------------------------	-----------------------------------

Materials

Carded In fabrics by **kvadrat** e No Stain



Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Carded In Faux leather by , Soft leather and Chrome Free leather by .



VL
Faux
leather
Valencia



PF
Soft
leather



ES
Elmosoft®
Leather

Graded In fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.winter-creation.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com


Options and accessories



1



2



3

- 1 Chromed castors
- 2 White castors
- 3 Black castors

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Art. 4817: 5 ways base fully upholstered

Art. 4817: 5 ways base fully upholstered and armrests

Chair with polished or lacquered aluminum 5 way swivel base on castors (for hard floors, in the same color as the base), fitted with gas-lift mechanism for height adjustment. Shell with low backrest. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Shell entirely upholstered in leather, customer's leather, faux leather, fabric or customer's fabric. Fixed armrests made in nylon fiber, in the same color as the underseat cover (black or white), and different upholsteries for seat and backrest are available upon request and with a surcharge.

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com




Shipment details

Art. 4817	kg	m ³	lb	ft ³
1 PCS = 1 box	21	0.401	46,20	14,155

arper

Base finishes



LU1 Polished Aluminum	V12 White lacquered Matt	V39 Black lacquered Matt
-----------------------------	-----------------------------------	-----------------------------------


Back shell



PA00001 White polypropylene	PA00002 Black polypropylene
-----------------------------------	-----------------------------------

Materials

Carded In fabrics by **kvadrat** e No Stain



F +39 0422 791800

T +39 0422 7918

www.arper.com

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Carded In Faux leather by , Soft leather and Chrome Free leather by .



VL
Faux
leather
Valencia



PF
Soft
leather



ES
Elmosoft®
Leather

Graded In fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.winter-creation.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com


Options and accessories



1



2



3

- 1 Chromed castors
- 2 White castors
- 3 Black castors

Kinesit / 5 Ways h 90

Design by Lievore Altherr Molina, 2014

Resistance test



Art. 4805

ANSI/BIFMA X5.1-2011/10	EN 1335-3:2009 7.2.1
ANSI/BIFMA X5.1-2011/11	EN 1335-3:2009 7.2.2
ANSI/BIFMA X5.1-2011/13	EN 1335-3:2009 7.2.3
ANSI/BIFMA X5.1-2011/14	EN 1335-3:2009 7.2.4
ANSI/BIFMA X5.1-2011/15	EN 1335-3:2009 7.2.5
ANSI/BIFMA X5.1-2011/17	EN 1335-3:2009 7.3.1
ANSI/BIFMA X5.1-2011/21	EN 1335-3:2009 7.3.2
ANSI/BIFMA X5.1-2011/22	EN 1335-3:2009 7.3.3
ANSI/BIFMA X5.1-2011/5	EN 1335-3:2009 7.3.5
ANSI/BIFMA X5.1-2011/7	
ANSI/BIFMA X5.1-2011/8	
ANSI/BIFMA X5.1-2011/9	



Art. 4811

ANSI/BIFMA X5.1-2011/10	EN 1335-3:2009 7.2.1
ANSI/BIFMA X5.1-2011/11	EN 1335-3:2009 7.2.2
ANSI/BIFMA X5.1-2011/13	EN 1335-3:2009 7.2.3
ANSI/BIFMA X5.1-2011/14	EN 1335-3:2009 7.2.4
ANSI/BIFMA X5.1-2011/15	EN 1335-3:2009 7.2.5
ANSI/BIFMA X5.1-2011/17	EN 1335-3:2009 7.3.1
ANSI/BIFMA X5.1-2011/21	EN 1335-3:2009 7.3.2
ANSI/BIFMA X5.1-2011/22	EN 1335-3:2009 7.3.3
ANSI/BIFMA X5.1-2011/5	EN 1335-3:2009 7.3.5
ANSI/BIFMA X5.1-2011/7	
ANSI/BIFMA X5.1-2011/8	
ANSI/BIFMA X5.1-2011/9	



Art. 4817

ANSI/BIFMA X5.1-2011/10	EN 1335-3:2009 7.2.1
ANSI/BIFMA X5.1-2011/11	EN 1335-3:2009 7.2.2
ANSI/BIFMA X5.1-2011/13	EN 1335-3:2009 7.2.3
ANSI/BIFMA X5.1-2011/14	EN 1335-3:2009 7.2.4
ANSI/BIFMA X5.1-2011/15	EN 1335-3:2009 7.2.5
ANSI/BIFMA X5.1-2011/17	EN 1335-3:2009 7.3.1
ANSI/BIFMA X5.1-2011/21	EN 1335-3:2009 7.3.2
ANSI/BIFMA X5.1-2011/22	EN 1335-3:2009 7.3.3
ANSI/BIFMA X5.1-2011/5	EN 1335-3:2009 7.3.5
ANSI/BIFMA X5.1-2011/7	
ANSI/BIFMA X5.1-2011/8	
ANSI/BIFMA X5.1-2011/9	