

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004


Art. 0380: 5 way swivel base with polypropylene shell
Art. 0380BV: 5 way swivel base and polypropylene shell with armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The shell is available in single-color or bi-color polypropylene or upholstered in two grades of hard leather. Available steel armrests, also with polypropylene pads.



√clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0380				
1 PCS = 2 boxes	13.30	0.274	25.52	10.735
4 PCS = 5 boxes	39.84	0.400	96.92	34.184
Art. 0380BV				
1 PCS = 3 boxes	15.68	0.303	30.756	11.759
4 PCS = 6 boxes	47.96	0.436	113.872	35.455

Base finishes



LU1
Aluminium
finish steel

Materials

Polypropylene



PO
Polypropylene
one color
10 colors



PO
Polypropylene
two colors
10 colors

Carded In Hard leather



CU
Hard leather
grade 1
4 colors



CT
Hard leather
grade 2
13 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Art. 0382: 5 way swivel base and upholstered shell


Art. 0382BV: 5 way swivel base and upholstered shell with armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The shell is available with upholstery in leather, faux leather, fabric or customer's fabric. Available steel armrests, also with upholstered pads.



√clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0382				
1 PCS = 2 boxes	12.9	0.326	28.38	11.512
4 PCS = 5 boxes	49.6	1.004	109.12	35.455
Art. 0382BV				
1 PCS = 3 boxes	15.28	0.355	33.616	12.536
4 PCS = 6 boxes	57.76	1.060	127.072	37.433

Base finishes



LU1
Aluminium
finish steel

Materials


Carded In Fabrics **kvadrat** and No **Stain**



Topas 2
67 colors



Hallingdal 65
58 colors




Remix 2
49 colors



Cava 3
49 colors




Flora 2
33 colors



Pro 2
35 colors



Savanna
12 colors



Clara
27 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors




No Stain
34 colors



Divina 3
56 colors



Divina
Melange 2
24 colors



Tonus 3
64 colors



Field
24 colors



Steelcut
Trio 2
49 colors



Sunniva
24 colors



Steelcut 2
43 colors



Pause 4
43 colors



Canvas
28 colors

Carded In Faux leather, Soft leather and chrome free leather by **elmo**



PI
Faux
leather
52 colors



PF
Soft
leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Graded In Fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.en.sergeferrari.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com

Visit the company website www.arper.com to
view the available fabrics and swatches.

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004


Art. 0319: 5 way swivel base and shell with upholstered cover
Art. 0319BV: 5 way swivel base and shell with upholstered cover and armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The white polypropylene shell is available with upholstery a removable non-washable cover in leather, faux leather, fabric or customer's fabric. Available steel armrests, also upholstered.



√clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0319				
1 PCS = 2 boxes	12.9	0.326	28.38	11.512
4 PCS = 5 boxes	49.6	1.004	109.12	35.455
Art. 0319BV				
1 PCS = 3 boxes	15.28	0.355	33.616	12.536
4 PCS = 6 boxes	57.76	1.060	127.072	37.433


Base finishes




LU1
Aluminium
finish steel

Materials

Carded In Fabrics **kvadrat** and No Stain



Carded In Faux leather, Soft leather and chrome free leather by **elmo**.



Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Graded In Fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.en.sergeferrari.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com

Visit the company website www.arper.com to
view the available fabrics and swatches.

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Art. 0352: 5 way swivel base and wood shell


Art. 0352BV: 5 way swivel base and wood shell with armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The shell is available in wood, in three finishes (natural oak, bleached oak, wengé). Available steel armrests.



clip.it.easy

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0352				
1 PCS = 2 boxes	11.08	0.302	24.376	10.665
4 PCS = 5 boxes	41.52	0.980	91.344	34.608
Art. 0352BV				
1 PCS = 3 boxes	13.46	0.331	29.612	11.689
4 PCS = 6 boxes	49.64	1.016	109.208	35.879

Base finishes



LU1
Aluminium
finish steel

Materials

Wood



L
Wood
3 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Art. 0384: 5 way swivel base and front-face upholstery shell


Art. 0384BV: 5 way swivel base and front-face upholstery shell with armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The shell is available in polypropylene with front-face upholstery in leather, faux leather, fabric or customer's fabric. Available steel armrests, also upholstered.



√clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0384				
1 PCS = 2 boxes	14.30	0.333	31.46	11.759
4 PCS = 5 boxes	51.04	1.032	112.288	36.444
Art. 0384BV				
1 PCS = 3 boxes	16.88	0.362	36.696	12.783
4 PCS = 6 boxes	60.56	1.068	133.232	37.716

Base finishes



LU1
Aluminium
finish steel

Materials

Polypropylene



PO
Polypropylene
10 colors

Carded In Fabrics **kvadrat** and No Stain



Topas 2
67 colors



Hallingdal 65
58 colors



Remix 2
49 colors



Cava 3
49 colors



Flora 2
33 colors



Pro 2
35 colors



Savanna
12 colors



Clara
27 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors



No Stain
34 colors



Divina 3
56 colors



Divina
Melange 2
24 colors



Tonus 3
64 colors



Field
24 colors



Steelcut
Trio 2
49 colors



Sunniva
24 colors



Steelcut 2
43 colors



Pause 4
43 colors



Canvas
28 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Carded In Faux leather, Soft leather and Chrome Free leather **elmo**.



PI
Faux
leather
52 colors



PF
Soft
leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Graded In Fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**®

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.en.sergeferrari.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com

Visit the company website www.arper.com to view the available fabrics and swatches.

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004


Art. 0302: 5 way swivel base and seat surface upholstered
Art. 0302BV: 5 way swivel base and seat surface upholstered with armrests

Chair with five way swivel base in aluminum, mounted on self-braking castors, fitted with gas height adjustment mechanism. The shell is available in polypropylene with cushion upholstery in leather, faux leather, fabric or customer's fabric applied to the seat surface. Available steel armrests, also upholstered.



√clip.it.easy®

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

	kg	m ³	lb	ft ³
Art. 0302				
1 PCS = 2 boxes	11.60	0.304	25.52	10.735
4 PCS = 5 boxes	43.60	0.968	96.92	34.184
Art. 0302BV				
1 PCS = 3 boxes	16.88	0.362	36.696	12.783
4 PCS = 6 boxes	60.56	1.068	133.232	37.716

Base finishes



LU1
Aluminium
finish steel

Materials

Polypropylene



PO
Polypropylene
10 colors



PO
Polypropylene
two colors
10 colors

Carded In Fabrics **kvadrat** and No Stain



Topas 2
67 colors



Hallingdal 65
58 colors



Remix 2
49 colors



Cava 3
49 colors



Flora 2
33 colors



Pro 2
35 colors



Savanna
12 colors



Clara
27 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors



No Stain
34 colors



Divina 3
56 colors



Divina
Melange 2
24 colors



Tonus 3
64 colors



Field
24 colors



Steelcut
Trio 2
49 colors



Sunniva
24 colors



Steelcut 2
43 colors



Pause 4
43 colors



Canvas
28 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2004

Carded In Faux leather, Soft leather and Chrome Free leather **elmo**.



PI
Faux
leather
52 colors



PF
Soft
leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Graded In Fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



www.spradling.eu

 **climatex**®

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.en.sergeferrari.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com

Visit the company website www.arper.com to view the available fabrics and swatches.

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2014

Art. 0335: 5 way swivel base, wood shell and front-face upholstery


Art. 0335BV: 5 way swivel base, wood shell and front-face upholstery with armrests

Chair with aluminium five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Wood shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.



clip.it.easy

Dimensions*



* Files CAD 2D - 3D available for download at www.arper.com

Shipment details

Art. 0335	kg	m ³	lb	ft ³
1 PCS = 2 boxes	14.30	0.333	31.46	11.759
4 PCS = 5 boxes	51.04	1.032	112.288	36.444

Base finishes



LU1
Aluminium
finish steel

Materials

Wood



L Wood
3 colors

Carded In Fabrics **kvadrat** and No Stain



Topas 2
67 colors



Hallingdal 65
58 colors



Remix 2
49 colors



Cava 3
49 colors



Flora 2
33 colors



Pro 2
35 colors



Savanna
12 colors



Clara
27 colors



Tempo
22 colors



Divina MD
27 colors



Scuba
24 colors



No Stain
34 colors



Divina 3
56 colors



Divina
Melange 2
24 colors



Tonus 3
64 colors



Field
24 colors



Steelcut
Trio 2
49 colors



Sunniva
24 colors



Steelcut 2
43 colors



Pause 4
43 colors



Canvas
28 colors

Catifa 46 / 5 Ways swivel

Design by Lievore Altherr Molina, 2014

Carded In Faux leather, Soft leather and Chrome Free leather **elmo**.



PI
Faux
leather
52 colors



PF
Soft
leather
13 colors



ES
Soft leather
Elmosoft®
60 colors

Graded In Fabrics by

kvadrat

www.kvadrat.dk

camira

www.camirafabrics.com



www.fidivi.com

Gabriel

www.gabriel.dk



SPRADLING

www.spradling.eu

 **climatex**®

www.climatex.com

Serge Ferrari

www.en.sergeferrari.com



www.en.sergeferrari.com

**DESIGN
TEX**

www.designtex.com

maharam

www.maharam.com

Visit the company website www.arper.com to view the available fabrics and swatches.

Catifa 46 / 5 Way swivel

Design by Lievore Altherr Molina, 2004

Options and accessories



1



2



3



4



5



6



7

- 1 Armrest with polypropylene one color pad
- 2 Armrest with upholstery pad
- 3 Cushion

- 4 Cover 1
- 5 Cover 2
- 6 Cover 3
- 7 Cover 4

Catifa 46 / 5 Way swivel

Design by Lievore Altherr Molina, 2004

Fire retardant test

UK DOMESTIC:
BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2.
BS5852/90 Sez.5 cigarette match: Polypropylene
ITALIA Class 1IM: Divina 3, Divina Melange, Flora, Hallingdal, Pro, Tonus, Topas, Leather PF (with fire retardant treatment, Faux leather).



Resistance test

Art.0380 and 0380BV

EN 1728/2000 - EN 15373:2007 6.2.1	3°
EN 1728/2000 - EN 15373:2007 6.2.2	3°
EN 1728/2000 - EN 15373:2007 6.7	3°
EN 1728/2000 - EN 15373:2007 6.8	3°
UNI 9084/2002	5°



UK CONTRACT:
BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2).
UK DOMESTIC:
BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
USA Technical Bulletin 117: Fabric. Faux leather.



Art.0382 and 0382BV

EN 1728/2000 - EN 15373:2007 6.2.1	3°
EN 1728/2000 - EN 15373:2007 6.2.2	3°
EN 1728/2000 - EN 15373:2007 6.7	3°
EN 1728/2000 - EN 15373:2007 6.8	3°
UNI 9084/2002	5°



UK DOMESTIC:
BS5852/90 Sez.5 cigarette match



Art.0352 and 0352BV

EN 1728/2000 - EN 15373:2007 6.5	3°
EN 1728/2000 - EN 15373:2007 6.6	3°



UK CONTRACT:
BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2).
UK DOMESTIC:
BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
USA Technical Bulletin 117: Fabric. Faux leather.



Art.0384 and 0384BV

EN 1728/2000 - EN 15373:2007 6.5	3°
EN 1728/2000 - EN 15373:2007 6.6	3°



UK CONTRACT:
BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2).
UK DOMESTIC:
BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
USA Technical Bulletin 117: Fabric. Faux leather.



Art.0302 and 0302BV

EN 1728/2000 - EN 15373:2007 6.2.1	3°
EN 1728/2000 - EN 15373:2007 6.2.2	3°
EN 1728/2000 - EN 15373:2007 6.7	3°
EN 1728/2000 - EN 15373:2007 6.8	3°
UNI 9084/2002	5°



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

* For more information on product's certification and environment documents visit www.arper.com or contact us at environment@arper.com

Catifa 46 / 5 Way swivel

Design by Lievore Altherr Molina, 2004

Fire retardant test

UK CONTRACT:
BS7176-07 Medium Hazard: Fabric (Flora 2, Pro, Tonus 3, Topas 2, Hallingdal 65). Elmosoft, Faux leather. BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2).
UK DOMESTIC:
BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather, Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal 65, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2).
USA Technical Bulletin 117: Fabric. Faux leather.

Resistance test

Art.0319 and 0319BV
EN 1728/2000 - EN 15373:2007 6.2.1 3°
EN 1728/2000 - EN 15373:2007 6.2.2 3°
EN 1728/2000 - EN 15373:2007 6.7 3°
EN 1728/2000 - EN 15373:2007 6.8 3°
UNI 9084/2002 5°



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

* For more information on product's certification and environment documents visit www.arper.com or contact us at environment@arper.com