

Technical data sheet 260B

Specification Conference chair with armrests

Dimensions in mm	Backrest:	H:	460	
		Seat:	H:	455-565
			W:	450
			D:	410
	Total:	H:	1025	
W (ArmR):		595		
		D:	595	
Packaging data		Weight:	kg	11,5
	Volume:	m³	0,5	



Basic equipment

Benefit

Backrest	Upholstered mesh backrest (10 mm foam). Carrier material, backrest (from the back) always black.	
Upholstery	Seat upholstery: 55 mm foam. Upholstery is unglued, breathable.	Great seating comfort.
Plastic parts	Colour maintained throughout, black.	Colourfast and resistant to deep scratches and abrasions.
Rocking motion, lockable	The dynamic rocking motion has an opening angle of 5° forward and 11° backwards. It can be locked, 4° forward and 2° backwards.	
Seat height adjustment	Seat height adjustment infinitely variable from 455 - 565 mm. Self-supporting safety gas spring.	
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors (acc. to DIN EN 12529).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Base	Colour maintained throughout polyamide base, as colour finish (plastic parts).	Colourfast and resistant to deep scratches and abrasions.
Armrests	Plastic, colour maintained throughout, black.	The armrests relieve the neck and shoulder muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	EN 68878 for visitor chairs. GS-Symbol for tested safety and tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Bifma e3 level Platin.	high quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts free of charge, within the guaranteed period.

Technical data sheet 260B

Specification Conference chair with armrests

Dimensions in mm	Backrest:	H:	460	
		Seat:	H:	455-565
			W:	450
			D:	410
	Total:	H:	1025	
		W (ArmR):	595	
D:		595		
Packaging data	Weight:	kg	11,5	
	Volume:	m³	0,5	



Options		Benefit
Plastic parts incl. base	Back and base, colour maintained throughout plastic parts white.	Colourfast and resistant to deep scratches and abrasions. Optical design.
Base	Aluminium brilliant silver powder coated or polished.	Very high stability, long service life. High-quality look.
Castors/Glides	Soft double castors, black/anthracite, load dependent braked, for hard floors or glides (acc. to DIN EN 12529)).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Material (fabric)	Several fabric collections in various colours.	During the design of the chair several colours and upholstery materials are available.

Technical data sheet 270B

Specification Conference chair with armrests, mesh backrest

Dimensions in mm	Backrest:	H:	460	
		Seat:	H:	455-565
			W:	450
			D:	410
	Total:	H:	1025	
W (ArmR):		595		
		D:	595	
Packaging data	Weight:	kg	11,5	
	Volume:	m³	0,5	



Basic equipment

Benefit

Backrest	Mesh backrest, as colour finish (plastic parts).	
Upholstery	Seat upholstery: 55 mm foam. Upholstery is unglued, breathable.	Great seating comfort.
Plastic parts	Colour maintained throughout, black.	Colourfast and resistant to deep scratches and abrasions.
Rocking motion, lockable	The dynamic rocking motion has an opening angle of 5° forward and 11° backwards. It can be locked, 4° forward and 2° backwards.	
Seat height adjustment	Seat height adjustment infinitely variable from 455 - 565 mm. Self-supporting safety gas spring.	Even those outside the DIN range (i.e. taller than 192 cm and smaller than 151 cm) are offered the correct ergonomic posture.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors (acc. to DIN EN 12529).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Base	Colour maintained throughout polyamide base, as colour finish (plastic parts).	Colourfast and resistant to deep scratches and abrasions.
Armrests	Plastic, colour maintained throughout, black.	The armrests relieve the neck and shoulder muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	EN 68878 for visitor chairs. GS-Symbol for tested safety and tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Bifma e3 level Platin.	high quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts free of charge, within the guaranteed period.

Technical data sheet 270B

Specification Conference chair with armrests, mesh backrest

Dimensions in mm	Backrest:	H:	460
		Seat:	H: 455-565 W: 450 D: 410
	Total:	H:	1025
		W (ArmR):	595
Packaging data	Weight:	kg	11,5
	Volume:	m³	0,5



Options		Benefit
Plastic parts incl. base	Back and base, colour maintained throughout plastic parts white.	Colourfast and resistant to deep scratches and abrasions. Optical design.
Base	Aluminium brilliant silver powder coated or polished.	Very high stability, long service life. High-quality look.
Castors/Glides	Soft double castors, black/anthracite, load dependent braked, for hard floors or glides (acc. to DIN EN 12529)).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Material (fabric)	Several fabric collections and leather in various colours.	During the design of the chair several colours and upholstery materials are available.