

**Technical data sheet 1V60**

Specification Conference armchair, high, design 2

Dimensions in mm	Backrest:	H:	590	
		Seat:	H:	440
			W:	515
			D:	450
	Total:	H:	1080	
W (ArmR):			810	
			D:	810
Packaging data	Weight:	kg	17,2	
	Volume:	m³	0,65	



**Basic equipment**

**Benefit**

Backrest/ Seat shell	High. Plastic shell visible from the back, black coloured throughout. Colourfast and resistant to deep scratches and abrasions.	Great seating comfort due to the ergonomically designed backrest. High durability. Antishock protection.
Upholstery	Quilted back of backrest. Seat, back upholstered, with independently upholstered side panels. Mould foam, CFC and CHC free (segregated). Seat: 45mm foam + 10mm quilted cotton wool, Back: 40mm foam + 10mm quilted cotton wool. Upholstery without adhesives.	Good seating comfort and great posture support. Ideal microclimate due to non-glued upholstery.
Base	4-star aluminium base, casting in black	High durability level, longevity. Great design. Good stability and tilting safety.
Gas column	Gas column with suspension and cover.	The suspension absorbs seat shock which reduces the impact on the spine while sitting.
Seat shell	Dynamic seat shell. Forward (3°) and backwards (7°) movement of the entire top part.	Comfortable sitting enhances comfort and movement.
Glides	Hard glides for soft floors, black	Stable
Armrests	Loop armrests made of aluminium casting, without leather cover, powder coated in black.	Neck muscles are relieved due to armrests.
Materials	All materials are segregated and recyclable	Environmentally friendly, help to protect resources.
Norms	DIN EN 16139 seating furniture for project areas, GS-symbol for being tested on safety, Tested for Contaminants	High level of safety and comfort.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel, Bifma e3 level Platin.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

**Technical data sheet 1V60**

Specification Conference armchair, high, design 2

Dimensions in mm	Backrest:	H:	590	
		Seat:	H:	440
			W:	515
			D:	450
	Total:	H:	1080	
W (ArmR):		810		
D:		810		
Packaging data	Weight:	kg	17,2	
	Volume:	m³	0,65	



<b>Options</b>		<b>Benefit</b>
Backrest/ Seat shell	White coloured throughout. Colourfast and resistant to deep scratches and abrasions.	High durability level.
Glides/ Castors	Soft conference glides for hard floors, same colour as base. Hard or soft castors. Base glides.	Chair stability, gentle to the flooring
Seat height adjustment	Seat height adjustment infinitely variable from 370 - 505 mm with glides, 405 - 540 mm with castors. Self-supporting safety gas spring. Not available in combination with the turnable column with return motion.	
Turnable column with return motion.	The conference chair swivels smoothly and automatically returns to its starting point (not available with seat height adjustment).	
Base	4-star aluminium base, casting powder coated white, polished or chrome.	High level of stability, longevity, great design, design variety.
Armrests	Loop armrests made of aluminium casting, with or without leather cover, powder coated in white, polished or chrome.	Neck muscles are relieved due to armrests.
Materials	Various fabric and leather ranges are available (please refer to price list and fabric card samples)	Various design possibilities.

**Technical data sheet 1V61**

Specification Conference armchair, high, design 2

Dimensions in mm	Backrest:	H:	590	
		Seat:	H:	440
			W:	515
			D:	450
	Total:	H:	1080	
W (ArmR):		810		
		D:	810	
		Packaging data		
Weight:	kg	17,2		
	Volume:	m³	0,65	



**Basic equipment**

**Benefit**

Backrest/ Seat shell	High. Shell completely upholstered.	Great seating comfort due to the ergonomically designed backrest.
Upholstery	Quilted back of backrest. Seat, back upholstered, with independently upholstered side panels. Mould foam, CFC and CHC free (segregated). Seat: 45mm foam + 10mm quilted cotton wool, Back: 40mm foam + 10mm quilted cotton wool. Upholstery without adhesives.	Good seating comfort and great posture support. Ideal microclimate due to non-glued upholstery.
Base	4-star aluminium base, casting in black	High durability level, longevity. Great design. Good stability and tilting safety.
Gas column	Gas column with suspension and cover.	The suspension absorbs seat shock which reduces the impact on the spine while sitting.
Seat shell	Dynamic seat shell. Forward (3°) and backwards (7°) movement of the entire top part.	Comfortable sitting enhances comfort and movement.
Glides	Hard glides for soft floors, black	Stable
Armrests	Loop armrests made of aluminium casting, without leather cover, powder coated in black.	Neck muscles are relieved due to armrests.
Materials	All materials are segregated and recyclable	Environmentally friendly, help to protect resources.
Norms	DIN EN 16139 seating furniture for project areas, GS-symbol for being tested on safety, Tested for Contaminants	High level of safety and comfort.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel, Bifma e3 level Platin.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

**Technical data sheet 1V61**

Specification Conference armchair, high, design 2

Dimensions in mm	Backrest:	H:	590	
		Seat:	H:	440
			W:	515
			D:	450
	Total:	H:	1080	
W (ArmR):		810		
		D:	810	
		Packaging data	Weight:	kg 17,2
Volume:	m³ 0,65			



<b>Options</b>	<b>Benefit</b>
Glides/ Castors	Soft conference glides for hard floors, same colour as base. Hard or soft castors. Base glides.
Seat height adjustment	Chair stability, gentle to the flooring
Turnable column with return motion.	Seat height adjustment infinitely variable from 370 - 505 mm with glides, 405 - 540 mm with castors. Self-supporting safety gas spring. Not available in combination with the turnable column with return motion.
Base	The conference chair swivels smoothly and automatically returns to its starting point (not available with seat height adjustment).
Armrests	4-star aluminium base, casting powder coated white, polished or chrome.
Materials	High level of stability, longevity, great design, design variety.
	Loop armrests made of aluminium casting, with or without leather cover, powder coated in white, polished or chrome.
	Neck muscles are relieved due to armrests.
	Various fabric and leather ranges are available (please refer to price list and fabric card samples)
	Various design possibilities.