

Technical data sheet V100K

Specification Four legs, not upholstered, Plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	435
		W:	445
		D:	415
	Total:	H:	820
		W (no ArmR):	510
		D:	565
Packaging data	Weight:	kg	5,7
	Volume:	m³	0,37



Basic equipment	Benefit
Dasic equipment	Dellelit

Seat and Backrest	Seat and backrest made of plastic ergonomically-formed, backrest height 290 mm	
Frame	Chrome-plated frame with eliptically-shaped steel tube. 30 x 15 x 2mm. Technically patented.	Very high stability, longevity. High-quality look.
Stackable	Stacking heigh of the vertical stacking: 20 chairs	Space-saving storage
Plastic parts	White Highly durable 2-component shell. Polypropelene with fibreglass core.	
Glides	Plastic glides for soft floors, black	Optimum stability
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.



Technical data sheet V100K

Specification Four legs, not upholstered, Plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	435
		W:	445
		D:	415
	Total:	H:	820
		W (no ArmR):	510
		D:	565
Packaging data	Weight:	kg	5,7
	Volume:	m³	0,37



Options		Benefit
Plastic parts	Anthracite, light grey	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.
Armrests/Accessories	- Armrests with plastic pad - Row connector - Panic bolt	



Technical data sheet V101K

Specification four legged with seat upholstered, plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	445
		W:	445
		D:	415
	Total:	H:	820
		W (ArmR):	510
		D:	565
Packaging data	Weight:	kg	6,3
	Volume:	m³	0,37



Basic equipment		Benefit
Seat and Backrest	Seat and backrest made of plastic ergonomically-formed, backrest height 290 mm	
Upholstery	Seat upholstered.	Great seating comfort.
Frame	Chrome-plated frame with eliptically-shaped steel tube. 30 x 15 x 2mm. Technically patented.	Very high stability, longevity. High-quality look.
Stackable	Stacking heigh of the vertical stacking: 20 chairs	Space-saving storage
Plastic parts	White Highly durable 2-component shell. Polypropelene with fibreglass core	
Glides	Plastic glides for soft floors, black	Optimum stability
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.



Technical data sheet V101K

Specification four legged with seat upholstered, plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	445
		W:	445
		D:	415
	Total:	H:	820
		W (ArmR):	510
		D:	565
Packaging data	Weight: Volume:	kg m³	6,3 0,37



Options		Benefit
Plastic parts	Anthracite, light grey	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.
Armrests/Accessories	- Armrests with plastic pad - Row connector - Panic bolt	



Technical data sheet V102K

Specification four legged with seat+back upholst. ,plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	445
		W:	445
		D:	415
	Total:	H:	820
		W (no ArmR):	510
		D:	565
Packaging data	Weight:	kg	6,7
	Volume:	m³	0,37



Barrier and the control of	
Basic equipment	Benefit

Basic equipment		Benefit
Seat and Backrest	Seat and backrest made of plastic ergonomically-formed, backrest height 290 mm	
Upholstery	Seat and backrest upholstered.	Great seating comfort.
Stackable	Chrome-plated frame with eliptically-shaped steel tube. 30 x 15 x 2mm. Technically patented.	Very high stability, longevity. High-quality look.
Stackable	Stacking heigh of the vertical stacking: 20 chairs	Space-saving storage
Plastic parts	White Highly durable 2-component shell. Polypropelene with fibreglass core.	
Glides	Plastic glides for soft floors, black	Optimum stability
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.



Technical data sheet V102K

Specification four legged with seat+back upholst. ,plastic shell

Dimensions in mm	Backrest:	H:	290
	Seat:	H:	445
		W:	445
		D:	415
	Total:	H:	820
		W (no ArmR):	510
		D:	565
Packaging data	Weight:	kg	6,7
	Volume:	m³	0,37



Options		Benefit
Plastic parts	Anthracite, light grey	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.
Armrests/Accessories	- Armrests with plastic pad - Row connector - Panic bolt	