

Technical data sheet C20S

Specification Cantilever not upholstered

Dimensions in mm	Backrest:	H:	430
		Seat:	H:
		W:	425
		D:	460
	Total:	H:	865
		W (ArmR):	530
		D:	565
Packaging data	Weight:	kg	8,4
	Volume:	m³	0,37



Basic equipment

Benefit

Seat and Backrest	Seat and backrest wooden shell. Ergonomically-formed waterfall front seat edge.	
Frame	Cantilver, steel chromed 25 mm diameter, 2 mm thick steel tube.	Very high stability, longevity. High-quality look.
Stackable	Stacking heigh: 5 pieces. Stacking protection.	Space-saving storage.
Wooden parts	Beech. 9-layerbeech veneer, glued crosswise, ca. 10.5 mm thick.	
Glides	Plastic glides for soft floors, black.	Optimum stability.
Armrests	Armrest pad, plastic.	Through the height adjustment of the armrests the neck and shoulder muscles will be relieved.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet C20S

Specification Cantilever not upholstered

Dimensions in mm	Backrest:	H:	430
	Seat:	H:	430
		W:	425
		D:	460
	Total:	H:	865
		W (ArmR):	530
		D:	565
Packaging data	Weight:	kg	8,4
	Volume:	m³	0,37



Options		Benefit
Wooden parts	Wood: Oak, American walnut. HPL: black, white.	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.

Technical data sheet C21S

Specification Cantilever with seat upholstery

Dimensions in mm	Backrest:	H:	430	
		Seat:	H:	445
		W:	425	
		D:	460	
		Total:	H:	865
			W (ArmR):	530
	D:		565	
Packaging data	Weight:	kg	9,1	
	Volume:	m³	0,37	



Basic equipment

Benefit

Seat and Backrest	Seat and backrest wooden shell. Ergonomically-formed waterfall front seat edge.	
Upholstery	Seat upholstered.	Great seating comfort.
Frame	Cantilever steel, chromed 25 mm diameter, 2 mm thick steel tube.	Very high stability, longevity. High-quality look.
Stackable	Stacking height: 5 pieces. Stacking protection.	Space-saving storage.
Wooden parts	Beech. 9-layer beech veneer, glued crosswise, ca. 10.5 mm thick.	
Glides	Plastic glides for soft floors, black.	Optimum stability.
Armrests	Armrest pad, plastic.	Through the height adjustment of the armrests the neck and shoulder muscles will be relieved.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and cantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet C21S

Specification Cantilever with seat upholstery

Dimensions in mm	Backrest:	H:	430
		H:	445
		W:	425
		D:	460
	Total:	H:	865
		W (ArmR):	530
Packaging data	Weight:	kg	9,1
		m³	0,37
	Volume:		



Options		Benefit
Wooden parts	Wood: Oak, American walnut. HPL: black, white.	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.

Technical data sheet C22S

Specification Cantilever with seat and back upholstery

Dimensions in mm	Backrest:	H:	430
		Seat:	H:
		W:	425
		D:	420
	Total:	H:	865
			W (ArmR):
D:		565	
Packaging data	Weight:	kg	9,6
	Volume:	m³	0,37



Basic equipment

Benefit

Seat and Backrest	Seat and backrest wooden shell. Ergonomically-formed waterfall front seat edge.	
Upholstery	Seat and back upholstered.	Great seating comfort.
Frame	Cantilever steel, chromed 25 mm diameter, 2 mm thick steel tube.	Very high stability, longevity. High-quality look.
Stackable	Stacking height: 5 pieces. Stacking protection.	Space-saving storage.
Wooden parts	Beech. 9-layerbeech veneer, glued crosswise, ca. 10.5 mm thick.	
Glides	Plastic glides for soft floors, black.	Optimum stability.
Armrests	Armrest pad, plastic.	Armrests provide relief for the throat and neck muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and cantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet C22S

Specification Cantilever with seat and back upholstery

Dimensions in mm	Backrest:	H:	430
		H:	445
	Seat:	W:	425
		D:	420
	Total:	H:	865
Packaging data		W (ArmR):	530
		D:	565
	Weight:	kg	9,6
	Volume:	m³	0,37



Options		Benefit
Wooden parts	Wood: Oak, American walnut. HPL: black, white.	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.

Technical data sheet C23S

Specification Cantilever with extra seat upholstery

Dimensions in mm	Backrest:	H:	430
		Seat:	H: 445
		W:	425
		D:	420
	Total:	H:	865
Packaging data	Weight:	kg	9,9
		m³	0,37
	Volume:		



Basic equipment

Benefit

Seat and Backrest	Seat and backrest wooden shell. Ergonomically-formed waterfall front seat edge.	
Upholstery	Seat and backrest with extra seat upholstery.	Great seating comfort.
Frame	Cantilever steel, chromed 25 mm diameter, 2 mm thick steel tube.	Very high stability, longevity. High-quality look.
Stackable	Stacking height: 5 pieces. Stacking protection.	Space-saving storage.
Wooden parts	Beech. 9-layer beech veneer, glued crosswise, ca. 10.5 mm thick.	
Glides	Plastic glides for soft floors, black.	Optimum stability.
Armrests	Armrest pad, plastic.	Armrests provide relief for the throat and neck muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and cantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet C23S

Specification Cantilever with extra seat upholstery

Dimensions in mm	Backrest:	H:	430
		H:	445
	Seat:	W:	425
		D:	420
	Total:	H:	865
Packaging data		W (ArmR):	530
		D:	565
	Weight:	kg	9,9
	Volume:	m³	0,37



Options		Benefit
Wooden parts	Wood: Oak, American walnut. HPL: black, white.	Optical design.
Glides	Felt glides for hard floors, black.	Optimum stability of the chair. Spares the floor.

Technical data sheet C24S

Specification Cantilever fully upholstered

Dimensions in mm	Backrest:	H:	440	
		Seat:	H:	445
		W:	440	
		D:	420	
		Total:	H:	875
			W (ArmR):	530
	D:		585	
Packaging data	Weight:	kg	9,5	
	Volume:	m³	0,37	



Basic equipment

Benefit

Seat and Backrest	Seat and backrest fully upholstered. Ergonomically-formed waterfall front seat edge.	
Frame	Cantilever steel, chromed 25 mm diameter, 2 mm thick steel tube.	Very high stability, longevity. High-quality look.
Stackable	Stacking height: 5 pieces. Stacking protection.	Space-saving storage.
Glides	Plastic glides for soft floors, black.	Optimum stability.
Armrests	Armrest pad, plastic. Armrests with fabric cover.	Through the height adjustment of the armrests the neck and shoulder muscles will be relieved.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and cantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

Technical data sheet C24S

Specification Cantilever fully upholstered

Dimensions in mm	Backrest:	H:	440
	Seat:	H:	445
		W:	440
		D:	420
	Total:	H:	875
		W (ArmR):	530
		D:	585
Packaging data	Weight:	kg	9,5
	Volume:	m³	0,37



Options

Glides Felt glides for hard floors, black.

Benefit

Optimum stability of the chair. Spares the floor.