

**Technical data sheet C120**

Specification Bar stool, low

Dimensions in mm	Backrest:	H:	220	
		Seat:	H:	720
			W:	425
			D:	440
Packaging data	Total:	H:	920	
		W (no ArmR):	435	
		D:	515	
		Weight:	kg	7,08
	Volume:	m³	0,40	



**Basic equipment**

**Benefit**

Seat and backrest	Low backrest not upholstered. Wooden shell ergonomically-formed waterfall front seat edge.	
Frame	4-legged frame. Chrome-plated steel. Diameter: 18 mm. Thickness: 2 mm.	Very high stability, long-lasting. Sophisticated appearance.
Wooden parts	9-layerbeech veneer, glued crosswise, ca. 10.5 mm thick.	
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Glides	Plastic glides for soft floors, black.	High stability and alteration options to match the flooring.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

**Technical data sheet C120**

Specification Bar stool, low

Dimensions in mm	Backrest:	H:	220	
		Seat:	H:	720
			W:	425
			D:	440
Total:		H:	920	
		W (no ArmR):	435	
		D:	515	
		Weight:	kg	7,08
Packaging data	Volume:	m³	0,40	



**Options**

**Benefit**

Wooden parts                      Wood: Oak, American walnut. HPL: black, white.

Glides                                Felt glides for hard floors, black.

High stability and alteration options to match the flooring.

**Technical data sheet C120P**

Specification Bar stool, low, seat upholstered

Dimensions in mm	Backrest:	H:	220
		Seat:	H: 720
		W:	425
		D:	440
Total:	H:	920	
	W (no ArmR):	435	
	D:	515	
Packaging data	Weight:	kg	7,72
	Volume:	m³	0,40



**Basic equipment**

**Benefit**

Seat and backrest	Low backrest, seat upholstered. Wooden shell ergonomically-formed waterfall front seat edge.	
Frame	4-legged frame. Chrome-plated steel. Diameter: 18 mm. Thickness: 2 mm.	Very high stability, long-lasting. Sophisticated appearance.
Wooden parts	9-layerbeech veneer, glued crosswise. Ca. 10.5 mm thick.	
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Materials	DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants.	High safety and comfort.
Glides	Plastic glides for soft floors, black.	High stability and alteration options to match the flooring.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge, within the guaranteed period.

**Technical data sheet C120P**

Specification Bar stool, low, seat upholstered

Dimensions in mm	Backrest:	H:	220
		Seat:	H: 720
		W:	425
		D:	440
Total:		H:	920
		W (no ArmR):	435
		D:	515
Packaging data	Weight:	kg	7,72
	Volume:	m³	0,40



**Options**

**Benefit**

Wooden parts                      Wood: Oak, American walnut. HPL: black, white.

Glides                                Felt glides for hard floors, black.

High stability and alteration options to match the flooring.