


Technical data sheet 7012T

Specification Folding table, rectangular, 1200 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1200



Packaging data	Weight:	kg	26,0
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1200 x 700 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height: 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30 mm. Sled base tube diameter 35 x 2 mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of stability, longevity.
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 7012T

Specification Folding table, rectangular, 1200 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1200



Packaging data	Weight:	kg	26,0
	Volume:	m ³	


Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request.	

Technical data sheet 7014T

Specification Folding table, rectangular, 1400 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1400



Packaging data	Weight:	kg	27,0
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1400 x 700 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 7014T

Specification Folding table, rectangular, 1400 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1400



Packaging data	Weight:	kg	27,0
	Volume:	m³	


Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request	

Technical data sheet 7016T

Specification Folding table, rectangular

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1600



Packaging data	Weight:	kg	29,0
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1600 x 700 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 7016T

Specification Folding table, rectangular

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1600



Packaging data	Weight:	kg	29,0
	Volume:	m³	


Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request	

Technical data sheet 7018T

Specification Folding table, rectangular, 1800 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1800



Packaging data	Weight:	kg	31,0
	Volume:	m³	

Basic equipment

Benefit

Table top	Table rectangle 1800 x 700 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.


Technical data sheet 7018T

Specification Folding table, rectangular, 1800 x 700 mm

Dimensions in mm

Total:	H:	740
	W:	700
	L:	1800

Packaging data	Weight:	kg	31,0
	Volume:	m³	




Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request	

Technical data sheet 8012T

Specification Folding table, rectangular, 1200 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1200



Packaging data	Weight:	kg	26,5
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1200 x 800 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 8012T

Specification Folding table, rectangular, 1200 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1200



Packaging data	Weight:	kg	26,5
	Volume:	m³	


Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request	

Technical data sheet 8014T

Specification Folding table, rectangular, 1400 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1400



Packaging data	Weight:	kg	29,0
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1400 x 800 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 8014T

Specification Folding table, rectangular, 1400 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1400



Packaging data	Weight:	kg	29,0
	Volume:	m³	

Options

Benefit

Top surface HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.

Individual design.

Glides Felt glides for hard floors.

High stability.


Accessories Table connector on request

Technical data sheet 8016T

Specification Folding table, rectangular, 1600 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1600



Packaging data	Weight:	kg	31,5
	Volume:	m³	

Basic equipment

Benefit


Table top	Table rectangle 1600 x 800 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30mm. Sled base tube diameter 35 x 2mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of satiability, longevity
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.

Technical data sheet 8016T

Specification Folding table, rectangular, 1600 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1600



Packaging data	Weight:	kg	31,5
	Volume:	m³	


Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request	

Technical data sheet 8018T

Specification Folding table, rectangular, 1800 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1800



Packaging data	Weight:	kg	34,0
	Volume:	m³	

Basic equipment

Benefit

Table top	Table rectangle 1800 x 800 mm. Chip board, 30 mm. Surface HPL, premium white. Stacking height: 128 mm.	
Table edge	Decor plastic with 2 mm ABS edge, straight. Matches the colour of the table top.	
Base/Metal parts	Chrome-plated T-shaped frame with elliptically-shaped vertical tube. Diameter 60 x 30 mm. Sled base tube diameter 35 x 2 mm, reinforced with steel plate for the seat. Foldable table legs with individual level adjustment.	High level of stability, longevity.
Glides	Plastic glides for soft floors.	High stability.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Certifications	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability.	High-quality product.
Warranty and Return	10 years warranty. Complete return and recycling guarantee.	Exchange of parts, free of charge within the guaranteed period.


Technical data sheet 8018T

Specification Folding table, rectangular, 1800 x 800 mm

Dimensions in mm

Total:	H:	740
	W:	800
	L:	1800

Packaging data	Weight:	kg	34,0
	Volume:	m³	



Options		Benefit
Top surface	HPL: white grey, dust grey, black, maple honey, natural beech, light oak, light cherry, light walnut.	Individual design.
Glides	Felt glides for hard floors.	High stability.
Accessories	Table connector on request.	