

Technical data sheet V110H

Specification Four legged, not upholstered, wooden shell

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|--------------------|-----------|-------------|
| | Seat: | H: | 440 |
| | | W: | 445 |
| | | D: | 415 |
| | Total: | H: | 825 |
| | | W (ArmR): | 540 |
| | | D: | 665 |
| Packaging data | Weight: Volume: | kg m³ | 7,7 0,40 |
| | | ••• | -, |



| Basic equipment | | Benefit |
|---------------------|--|--|
| Seat and Backrest | Seat and backrest shell in ergonomically-formed wood, backrest height 380 mm. | |
| Frame | Chrome-plated frame with eliptically-shaped steel tube 30 x 15 x 2 mm. Technically patented. | Very high stability, longevity. High-quality look. |
| Stackability | Stacking heigh of the vertical stacking: 20 chairs. | Space-saving storage. |
| Wooden parts | Stained beech 9-layer bonded plywood. | |
| Glides | Plastic glides for soft floors, black. | Optimum stability of the chair. Protection of the floor. |
| Writing tablet | Beech writing tablet on left. Also available in oak or American walnut wood colours. | Convenient for placing work documents. By folding in the writing tablet, the chairs can still be stacked or linked together. |
| Materials | All materials are segregated and recyclable. | Environmentally friendly. |
| Materials | DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants. | High safety and comfort. |
| Certification | Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel. | High-quality product. |
| Warranty and return | 10 years warranty. Complete return and recycling guarantee. | Exchange of parts, free of charge, within the guaranteed period. |



Technical data sheet V110H

Specification Four legged, not upholstered, wooden shell

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|-----------|-----------|------|
| | Seat: | H: | 440 |
| | | W: | 445 |
| | | D: | 415 |
| | Total: | H: | 825 |
| | | W (ArmR): | 540 |
| | | D: | 665 |
| Packaging data | Weight: | kg | 7,7 |
| | Volume: | m³ | 0,40 |



| Options | | Benefit |
|----------------------|---|---|
| Wooden parts | Oak, American walnut. | Optical design. |
| Glides | Felt glides for hard floors, black. | Optimum stability of the chair. Protection of the floor. |
| Armrests/Accessories | Armrests with plastic pad, row connector, panic bolt. | Optimal function extension depending on individual usage. |
| | | |



Technical data sheet V111H

Specification Four legged with seat upholstered, wooden shell

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|--------------------|-----------|-------------|
| | Seat: | H: | 450 |
| | | W: | 445 |
| | | D: | 415 |
| | Total: | H: | 825 |
| | | W (ArmR): | 540 |
| | | D: | 665 |
| Packaging data | Weight: Volume: | kg m³ | 8,3 0,40 |



| Basic equipment | | Benefit |
|---------------------|--|--|
| Seat and Backrest | Seat and backrest shell in ergonomically-formed wood, backrest height 380 mm. | |
| Upholstery | Seat upholstered. | Great seating comfort. |
| Frame | Chrome-plated frame with eliptically-shaped steel tube 30 x 15 x 2 mm. Technically patented. | Very high stability, longevity. High-quality look. |
| Stackability | Stacking height of the vertical stacking: 15 chairs. | Space-saving storage. |
| Wooden parts | Stained beech. 9-layer bonded plywood. | |
| Glides | Plastic glides for soft floors, black. | Optimum stability of the chair. Protection of the floor. |
| Writing tablet | Beech writing tablet on left. Also available in oak or American walnut wood colours. | Convenient for placing work documents. By folding in the writing tablet, the chairs can still be stacked or linked together. |
| Materials | All materials are segregated and recyclable. | Environmentally friendly. |
| Materials | DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants. | High safety and comfort. |
| Certification | Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel. | High-quality product. |
| Warranty and return | 10 years warranty. Complete return and recycling guarantee. | Exchange of parts, free of charge, within the guaranteed period. |



Technical data sheet V111H

Specification Four legged with seat upholstered, wooden shell

| Backrest: | H: | 420 |
|--------------------|----------------------|-------------|
| Seat: | H: | 450 |
| | W: | 445 |
| | D: | 415 |
| Total: | H: | 825 |
| | W (ArmR): | 540 |
| | D: | 665 |
| Weight: Volume: | kg m³ | 8,3 0,40 |
| | Seat: Total: Weight: | Seat: |



| Options | | Benefit |
|----------------------|---|---|
| Wooden parts | Oak, American walnut. | Optical design. |
| Glides | Felt glides for hard floors, black. | Optimum stability of the chair. Protection of the floor. |
| Armrests/Accessories | Armrests with plastic pad, row connector, panic bolt. | Optimal function extension depending on individual usage. |
| | | |



Technical data sheet V112H

Specification Four legged with seat+back upholst., wooden shell

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|--------------------|-----------|-------------|
| | Seat: | H: | 450 |
| | | W: | 445 |
| | | D: | 415 |
| | Total: | H: | 825 |
| | | W (ArmR): | 540 |
| | | D: | 665 |
| Packaging data | Weight: Volume: | kg m³ | 8,7 0,40 |
| | | | |



| Basic equipment | | Benefit |
|---------------------|---|---|
| Seat and Backrest | Seat and backrest shell in ergonomically-formed wood, backrest height 380 mm. | |
| Upholstery | Seat and backrest upholstered. | Great seating comfort. |
| Frame | Chrome-plated frame with eliptically-shaped steel tube 30 x 15 x 2mm. Technically patented. | Very high stability, longevity. High-quality look. |
| Stackability | Stacking height of the vertical stacking: 10 chairs. | Space-saving storage. |
| Wooden parts | Stained beech. 9-layer bonded plywood. | |
| Gllides | Glides | Optimum stability |
| Tablette écritoire | Tablette écritoire gauche, en hêtre. Également disponible en coloris chêne ou noyer américain. | Pratique pour poser les documents de travail. La tablette peut être relevée, il est ainsi toujours possible d'empiler les chaises ou de les fixer ensemble. |
| Materials | All materials are segregated and recyclable. | Environmentally friendly. |
| Materials | DIN EN 16139 four leg and chantilever. GS-symbol for tested safety, tested for contaminants. | High safety and comfort. |
| Certification | Qualitätsmanagementsystem DIN EN ISO 9001:2008, VO (EG) Nr. 1221/2009 (EMAS), Umweltmanagementsystem DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel. | High-quality product. |
| Warranty and return | 10 years warranty. Complete return and recycling guarantee. | Exchange of parts, free of charge, within the guaranteed period. |



Technical data sheet V112H

Specification Four legged with seat+back upholst. ,wooden shell

| Dimensions in mm | Backrest: | H: | 420 |
|------------------|--------------------|-----------|-------------|
| | Seat: | H: | 450 |
| | | W: | 445 |
| | | D: | 415 |
| | Total: | H: | 825 |
| | | W (ArmR): | 540 |
| | | D: | 665 |
| Packaging data | Weight: Volume: | kg m³ | 8,7 0,40 |



| Options | | Benefit |
|----------------------|---|---|
| Wooden parts | Oak, American walnut. | Optical design. |
| Glides | Felt glides for hard floors, black. | Optimum stability of the chair. Protection of the floor. |
| Armrests/Accessories | Armrests with plastic pad, row connector, panic bolt. | Optimal function extension depending on individual usage. |